

Material Safety Data Sheet

Page 1 of 6

Issue date: April 2010

CARPET DEODORIZER (LEMON GROVE) AEROSOL

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: CARPET DEODORIZER (LEMON GROVE) AEROSOL

Manufacturer's Product Code(s): C309-12

Use: Carpet Deodorizer.

CHEM-DRY AUSTRALIA

Unit 4 / 30 Park Road

MULGRAVE NSW 2756

Tel: (02) 4587 6300

Fax: (02) 4587 8733

WEBSITE: www.chemdry.com.au

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC/NOHSC/EU CRITERIA

Hazard Category: None allocated

Hazard Classification: NON-HAZARDOUS SUBSTANCE, DANGEROUS GOODS

RISK PHRASES

None allocated.

SAFETY PHRASES

S24/25 Avoid contact with skin and eyes.

Road Transport (ADR/RID)

UN Number: 1950

Proper Shipping Name: AEROSOLS

Dangerous Goods Class: 2.2

Packing Group: None allocated

Poison Schedule: None allocated [Aust].

Warning Statement:

Contents under pressure.

3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE NAME	Proportion	CAS Number
SECONDARY ALCOHOL ETHOXYLATE	1 to 5 %	84133-50-6
FRAGRANCE	1 to 5 %	Proprietary
STYRENE/MALEIC ACID COPOLYMER	5 to 10 %	68037-40-1
NITROGEN PROPELLANT	10 to 30 %	7729-37-9
WATER AND OTHER NON-HAZARDOUS SUBSTANCES	30 to 60 %	Mixture

All other ingredients not hazardous according to ASCC/NOHSC/EU Criteria.

Material Safety Data Sheet

Page 2 of 6

Issue date: April 2010

CARPET DEODORIZER (LEMON GROVE) AEROSOL

4. FIRST AID MEASURES

Swallowed:

Not a likely source of exposure. Product is a gas.

Eye:

If contents of cylinder are vented directly into the eyes then blindness may occur due to freeze burns. Keep victim calm and warm. In case of freeze burns **URGENTLY** transport to hospital or doctor. In normal use situations, however, if material is splashed or lightly sprayed into eyes, flush with plenty of water for at least 15 minutes, ensuring eye lids are held open. If irritation persists transport to hospital or doctor.

Skin:

Remove contaminated clothing and shoes immediately - Clothing frozen to the skin should be thawed before being removed - In case of frostbite, thaw with lukewarm water. Immediately transport to hospital or doctor.

Inhaled:

Remove victim to fresh air - Apply resuscitation if victim is not breathing - Administer oxygen if breathing is difficult.

First Aid Facilities:

Eye wash fountain, safety shower and normal wash room facilities.

Advice to Doctor:

Treat symptomatically.

In case of poisoning, contact Poisons Information Centre

In Australia call Tel: 13 1126

In New Zealand Tel: 034747000

5. FIRE-FIGHTING MEASURES

Fire/Explosion Hazard

If safe to do so, move undamaged containers from fire area. If involved in a fire cans may explode if subjected to heat greater than 50 - 54°C.

SUITABLE EXTINGUISHING MEDIA: Use Water fog, dry chemical, CO2 or foam to extinguish burning gas if safe to do so. **DO NOT USE WATER JETS.**

HAZARDS FROM COMBUSTION PRODUCTS: Decomposes on heating emitting oxides of carbon, oxides of nitrogen and small quantities of noxious smoke.

PRECAUTIONS FOR FIRE FIGHTERS AND SPECIAL PROTECTIVE EQUIPMENT: Fire fighters to wear Self-contained breathing apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended. Cool container by directing flooding quantities of water onto upper surface until well after fire is out - **DO** not direct water at source of leak or venting safety devices as icing may occur, which could then cause a pressure build up and consequently an explosion could result. Damaged containers should only be handled following expert advice.

HAZCHEM CODE: 2[Y]E [Aust]

FLAMMABILITY

Contents under pressure.

Flash Point: Not applicable, water content interferes with flash point.

Material Safety Data Sheet

Page 3 of 6

Issue date: April 2010

CARPET DEODORIZER (LEMON GROVE) AEROSOL

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

Caution! Contents under pressure. Assess situation, if safe, remove leaking aerosol container to well ventilated area (outside, away from people and buildings).

Methods and Materials for Containment and Clean Up Procedures:

Isolate area until gas has dispersed. If possible, turn leaking containers so that gas escapes rather than liquid. If fire risk is possible, use water spray to reduce vapors or divert vapor cloud drift. Do not direct water at spill or source of leak.

Emergency information(Transport):

Dangerous Goods - Initial Emergency Response Guide (SAA/SNZ HB76:2004)

For **AEROSOL DISPENSERS** Guide No: 49

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Keep aerosol containers in a cool, dry place away from direct sunlight. Store away from oxidizing agents. Store away from sources of heat, ignition, sparks, flames or electrical discharges. Do not store above 50°C. Do not get liquid or mist in eyes. Provide adequate ventilation.

Conditions for Safe Storage:

Store in original packages as approved by manufacturer. **CONTENTS UNDER PRESSURE**. For further information please refer to the Engineering Controls of this MSDS.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards

No exposure standards are available for this product, however, the following exposure standards have been assigned by [NOHSC] to the following component of the product:

NITROGEN

[NOHSC]

Asphyxiant

Simple asphyxiants are gases which, when present in an atmosphere in high concentrations, lead to a reduction of oxygen concentration by displacement or dilution. It is not appropriate to recommend an exposure standard for each simple asphyxiant, rather it should be required that a sufficient oxygen concentration be maintained.

Engineering Controls

Maintain adequate ventilation. The use of natural ventilation systems are adequate.

Personal Protection Equipment

GLOVES: Normal use no gloves required, if ruptured, use of thermally insulated gloves recommended.

EYES: Chemical goggles or spectacles with side shields to protect eyes.

RESPIRATORY PROTECTION: Avoid breathing of vapours/mists or aerosols. The use of a respirator is not normally required. Select and use respirators in accordance with AS/NZS 1715.

Material Safety Data Sheet

Page 4 of 6

Issue date: April 2010

CARPET DEODORIZER (LEMON GROVE) AEROSOL

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light amber coloured liquid with lemon odour.
Boiling Point:	Not available.
Vapour Pressure:	Not available.
Specific Gravity:	1.03
Flash Point:	Not applicable, water content interferes with flash point.
Flammability Limits:	Not available.
Solubility in Water:	Soluble.

Other Properties

pH:	8.5 - 9.5
Volatiles:	> 90 %
Vapour Density:	> 1

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:

Stable under normal conditions of use.

CONDITIONS TO AVOID:

Ignition sources and mixing with incompatibles.

INCOMPATIBLE MATERIALS:

Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS:

Decomposes on heating emitting oxides of carbon, oxides of nitrogen and noxious smoke.

HAZARDOUS REACTIONS:

Will not occur.

11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

ACUTE HEALTH EFFECTS:

Swallowed:

If product, is sprayed directly into the mouth, the effects will be due to possible freeze burns. However, in normal use circumstances, the product may cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.

Eye:

Spraying of product, directly, into the eyes will cause severe irritation and possible freeze burns. In normal use circumstances, however, the product may cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision.

Skin:

Spraying of product, directly, onto the skin, over a prolonged period, may cause freeze burns. In normal use, the product may cause mild irritation to the skin, with effects including: Redness and itchiness.

Inhaled:

Exposure to low concentrations of vapour, may cause irritation to the nose, throat and respiratory system with effects including: Dizziness, headache and loss of co-ordination.

Material Safety Data Sheet

Page 5 of 6

Issue date: April 2010

CARPET DEODORIZER (LEMON GROVE) AEROSOL

11. TOXICOLOGICAL INFORMATION (Continued)

Chronic:

Prolonged or repeated skin contact may lead to skin rashes in some susceptible individuals. Prolonged inhalation exposure of high concentrations may cause cough, tremors, convulsions, possible loss of consciousness, coma or death.

The following toxicological information is available for this product:

Oral LD50(rat): > 5,000 mg/kg

12. ECOLOGICAL INFORMATION

There is no ecotoxicological information available for this product, however, for the ingredient:

Secondary alcohol ethoxylate:

EC50(Daphnia magna): 7.1 - 10.7 mg/L/48Hr

Avoid contaminating drains, waterways and sewers.

13. DISPOSAL CONSIDERATIONS

Seek expert advice in all cases dealing with leaking or suspicious cylinders. Remove all unnecessary personnel from the area. If safe to do so, move container to well ventilated area, away from all personnel and allow to naturally vent to atmosphere.

14. TRANSPORT INFORMATION

Road Transport (ADR/RID)

UN Number: 1950

Proper Shipping Name: AEROSOLS

Dangerous Goods Class: 2.2

Packing Group: None allocated

Air Transport (ICAO/IATA)

UN Number: 1950

Proper Shipping Name: AEROSOLS

Dangerous Goods Class: 2.2

Packing Group: None allocated

Sea Transport (IMDG)

UN Number: 1950

Proper Shipping Name: AEROSOLS

Dangerous Goods Class: 2.2

Packing Group: None allocated

15. REGULATORY INFORMATION

Poison Schedule: None allocated [Aust]

Inventory Status:

<i>Inventory</i>	<i>Status</i>
Australia (AICS)	Y
United States (TSCA)	Y
Europe (EINECS/ELINCS)	Y

Y = all ingredients are on the inventory.

EU Label: None allocated

Material Safety Data Sheet

Page 6 of 6

Issue date: April 2010

CARPET DEODORIZER (LEMON GROVE) AEROSOL

16. OTHER INFORMATION

Date of Preparation:

Issue date: April 15, 2010

Reasons for Update:

1. Foreign MSDS, aligned with the 2nd Edition of National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC:2001(2003)].

Key Legend Information:

NOHSC - National Occupational Health & Safety Commission {Formerly Worksafe}[Aust]

ASCC - Australian Safety and Compensation Council [Aust]

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons [Aust]

TWA - Time Weighted Average [Int]

STEL - Short Term Exposure Limit [Int]

AICS - Australian Inventory of Chemical Substances

Dangerous Goods - Initial Emergency Response Guide (SAA/SNZ HB76:2004) [Aust]

EPA - Environmental Protection Agency [Int]

NIOSH - National Institute for Occupational Safety and Health [US]

TSCA - Toxic Substances Control Act [US]

OSHA - Occupational Safety and Health Administration [US]

AS/NZS 1715 - Selection, use and maintenance of respiratory protective devices. [Aust/NZ]

Hazchem Code - Fire fighters designation [Aust]

IATA - International Aviation Transport Authority [Int]

ICAO - International Civil Aviation Organization [Int]

IMO - International Maritime Organisation. [Int]

IMDG - International Maritime Dangerous Goods [Int]

United Nations Recommendations for the Transport of Dangerous Goods and Globally Harmonized System for the classification and labelling of Chemicals. [Int]

EINECS - European Inventory of Existing Commercial Chemical Substances. [Int]

ELINCS - European List of Notified Chemical Substances. [Int]

EU - European Union [Int]

ADR/RID - European Road & Rail Transport Union - [Int]

EU Directives: The classification criteria used, are adopted from the European Community's (EC) legislation for classifying dangerous substances. The criteria are taken from:

EC Council Directive 67/548/EEC

EC Council Directive 1999/45/EC

[Aust/NZ] = Australian New Zealand

[Int] = International

[US] = United States of America

Principal References:

Information supplied by manufacturer, reference sources including the public domain.

END OF MSDS